

Safety Data Sheet

Regulation (EC) No. 1907/2006, 1272/2008

Version No.: 1.0

Printing Date: October 21, 2020

Page 1/1

SDS REPORT

The Gel Hub Limited Tower House, 269 Walmersley Road, Bury, BL9 6NX, UK.

SDS Report No. Compilation Date Trade Name Composition/Ingredient of The Sample Service Requested

Summary

SDS2020101232 October 12, 2020 ~ October 21, 2021 MATTE TOP COAT See Section 3 on the SDS

Preparation of Safety Data Sheet (SDS) for the sample with submitted composition from client.

As per request, the contents and formats of the SDS are prepared in accordance with Regulation (EC) No 1907/2006, 1272/2008, Regulation (EU) No 2015/830 and are provided per attached.

* This sample is likely to be classified as cosmetic product and is out of scope of a SDS as set out in Regulation (EC) No 1907/2006. This SDS is generated for client's reference only.

Signed for and on behalf of REAL Technical Center:



SECTION 1: Identification of the substance/mixture and of the company/undertaking

• 1.1 Product identifier • Trade name: <u>MATTE TOP COAT</u>

• Registration number: Data not available

• Other means of identification: Data not available

· 1.2 Relevant identified uses of the substance or mixture and uses advised against on

· Application of the substance/ mixture: Nail beauty.

• Uses advised against: All other uses.

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier: The Gel Hub Limited
Tower House, 269 Walmersley Road, Bury, BL9 6NX, UK.
Contact person: Monique Entwistle
Tel: +44 7503 503285
Email: contact@thegelhub.com
Further information obtainable from: The Gel Hub Limited

• 1.4 Emergency telephone number UNITED KINGDOM National Poisons Information Service Tel: + 44 (0) 844 892 0111

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture Classification according to regulation (EC) 1272/2008:

GH.

GHS08 Health hazard

Repr. 2 H361f Suspected of damaging fertility (causing atrophy of the testes)

GI GI

GHS07 Exclamation mark

Skin Irrit.2H315Causes skin irritationSkin Sens. 1H317May cause an allergic skin reactionEye Irrit. 2H319Causes serious eye irritation

• Classification system:

The classification is according to the latest edition of Regulation 1272/2008, and extended by company and literature data.

· 2.2 Label elements

Labeling according to Regulation (EC) No 1272/2008: The product is labeled according to Regulation (EC) No 1272/2008.
 Hazard pictograms:

GHS07 GHS08

Signal word: Warning

• Hazard-det	ermining compon	ents of labelling: 2-Hydroxyethyl methacrylate; Diphenyl(2,4,6-trimethylbenzoyl) phosphine oxide	
• Hazard stat	ements:	TE THE THE THE	
H315	Causes skin irr	Causes skin irritation	
H317	May cause an a	lay cause an allergic skin reaction	
H319	Causes serious	eye irritation	
H361f	Suspected of de	amaging fertility (causing atrophy of the testes)	
• Precaution	ary statement:	The second	
P101	If me	edical advice is needed, have product container or label at hand.	
P102	Keep	p out of reach of children.	
P103	Read	d label before use.	
P201	Obto	ain special instructions before use.	
P264	Wash	h hands and face thoroughly after handling.	
P280	Wea	r protective gloves/ protective clothing/ eye protection/ face protection.	
P302 + P33	52 IF C	DN SKIN: Wash with plenty of soap and water.	
P305 + P33	51 + P338 IF II	N EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy	
	to de	o. Continue rinsing.	
P405	Stor	e locked up.	
P501	Disp	pose of contents/container in accordance with local/regional/national/international regulation.	
· 2.3 Other h	azards	The	
· Results of I	BT and vPvB ass	essment	
PBT: Not ap	plicable	Cill and I think whether a The stand of the	
vPvB: Not ap	plicable	I'll I'llin	

SECTION 3: Composition/information on ingredients

• 3.1 Chemical characterization: Mixture

• Description:

Mixture of the substances listed below with nonhazardous additions; For the wording of the listed risk phrases refer to section 16.

Substance	CAS No.	Index No.	EC No.	Conc. w/w	CLP Classification	SCL/M-factor
2-Hydroxyethyl methacrylate	868-77-9	607-124-00-X	212-782-2	40%	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319	Skin Irrit. 2, H315: C≥20%; Eye Irrit. 2, H319: C≥20%
Urethane acrylate	Sector NAS	B) L. P. t.	- untake	28%	None	· Jul
Special Tertiary Amine Acrylate	I E (B) (S)	THE THE	TE Down	15%	None	- I. Bur
NIPSIL E-1011	110	100% · · ·	七儒	10%	None	11:11
Diphenyl(2,4,6- trimethylbenzoyl) phosphine oxide	75980-60-8	015-203-00-X	278-355-8	5%	Repr. 2, H361F	Repr. 2, H361F: C≥5%
Polyether-modified polysiloxane	157479-55-5	Fither	Till	2%	None	10/10/ Jan

SECTION 4: First aid measures

• 4.1 Description of first aid measures General advice: IF exposed or concerned: Get medical advice/attention.

Page 3 of 9 Issued Date: October 21, 2020 Printed Date: October 21, 2020

After inhalation: Supple with fresh air. Consult doctor if you feel unwell.

After skin contact: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. If eye irritation persists: Get medical advice/attention.

After swallowing: Rinse mouth. Call a POISON CENTER/doctor if you feel unwell.

• 4.2 Most important symptoms and effects, both acute and delayed: Causes skin irritation, May cause an allergic skin reaction, Causes serious eye irritation; Causing atrophy of the testes.

• 4.3 Indication of any immediate medical attention and special treatment needed: Treatment according to symptoms, no known specific medicine.

SECTION 5: Fire-fighting measures

• 5.1 Extinguishing media

• Suitable extinguishing agents: Use CO2, powder, water spray or alcohol resistant foam to extinguish.

• Unsuitable extinguishing media: Water with full jet.

• 5.2 Special hazards arising from the substance or mixture: May produce irritant / allergic vapor in air under fire.

• 5.3 Advice for firefighters

Protective equipment: Wear an approved positive pressure self-contained breathing apparatus (Comply with EN 133).

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

· 6.1.1 For non-emergency personnel

Protective equipment: Wear protective gloves/ protective clothing/ eye protection/ face protection. **Emergency procedures:** Cut off leakage source and collect spillage timely if safe do it; Ensure adequate ventilation; Avoid contact with skin and eyes.

• 6.1.2 For emergency responders

Personal protective equipment: Wear protective gloves/ protective clothing/ eye protection/ face protection; Use respiration protection against the vapor.

· 6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so; Prevent spillage from entering drains, sewer, basement or confined areas; if the spillage contaminates rivers, lakes or drains inform respective authorities.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust); Ensure good ventilation; Dispose contaminated material as waste according to section 13.

• 6.4 Reference to other sections:

See section 7 for information on safe handing; See section 8 for information on personal protection equipment; See section 13 for disposal in formation.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling:

Obtain special instructions before use; Ensure adequate ventilation at workplace; Avoid breathing vapors; Wear protective gloves/

Page 4 of 9 Issued Date: October 21, 2020 Printed Date: October 21, 2020

protective clothing/ eye protection/ face protection; Avoid contact with skin and eyes.

· Information about fire and explosion protection: Normal measures for preventive fire protection.

• 7.2 Conditions for safe storage, including any non-compatibility

• Requirements to be met by storerooms and receptacles: Store in a cool and well-ventilated place.

• Information about storage in one common storage facility: Keep out of reach of children.

• Further information about storage conditions: Store locked up.

• 7.3 Specific end use(s): See section 1.2.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs:

DNEL type	dill in	DNEL worker value	DNEL consumer value	
868-77-9 2-Ну	droxyethyl methacrylate	Pline Pline	W In.	
LE Incomente	Long-term, inhalation exposure	$4.9 mg/m^3$	2.9 mg/m ³	
Systemic effects	Long-term, dermal exposure	1.3 mg/kg bw/day	830 μg/kg bw/day	
	Long-term, oral exposure	all a sur line	830 μg/kg bw/day	
75980-60-8 Dip	henyl(2,4,6-trimethylbenzoyl)phosphine ox	ide	1 IL Marine I	
	Long-term, inhalation exposure	3.5 mg/m^3	White was all I	
Systemic Effects	Long-term, dermal exposure	1 mg/kg bw/day	- TIP Toman	

PNECs:

PNEC type	Value		
868-77-9 2-Hydroxyethyl methacrylate			
Freshwater	482 µg/L		
Intermittent releases (freshwater)	1 mg/L		
Marine water	482 μg/L		
Intermittent releases (marine water)	1 mg/L		
Sewage treatment plant (STP)	10 mg/L		
Sediment (freshwater)	3.79 mg/kg sediment dw		
Sediment (marine water)	3.79 mg/kg sediment dw		
75980-60-8 Diphenyl(2,4,6-trimethylbenzoyl)ph	hosphine oxide		
Freshwater	3.53 μg/L		
Intermittent releases (freshwater)	35.3 μg/L		
Marine water	- 353 ng/L		
Sediment (freshwater)	290 µg/kg sediment dw		
Sediment (marine water)	29 µg/kg sediment dw		

• Additional information: The lists valid during the marking were used as basis.

· 8.2 Exposure controls

· Based on the composition shown in section 3, the following measures are suggested for occupational safety measure.

· Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety practice; Wash hands and face before breaks and at the end of work; Take off contaminated clothing and wash it before reuse. See section 7 for information about design of technical facilities.

· Personal protective equipment

Respiration protection: Respiration protection is recommended.
Protection of hands:



Protective gloves

Gloves made from butyl rubber Neoprene™ rubber, nitrile rubber (thickness> 0.3 mm; breakthrough times up to 480 minutes). • Eye protection:



Safety glasses

Protective goggles with side-shields.

· Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

SECTION 9: Physical and chemical properties • 9.1 Information on basic physical and chemical properties · Appearance: Form Viscous liquid Color Pale yellow Odor Slightly smell **Odor threshold** Not determined · pH-value Not determined · Change in condition Melting point/melting range Not determined Boiling point and boiling range Not determined · Freezing point Not determined · Flash point $>93^{\circ}C$ (closed cup) · Flammability (solid, gas) Not applicable · Decomposition temperature Not determined · Self-ignition Product is not self-igniting · Danger of explosion Product does not present explosive hazard. · Explosion limits Lower: Not determined Not determined Upper: · Oxidizing properties Not determined · Vapor pressure Not determined · Density Not determined Not determined · Relative density · Vapor density Not determined · Evaporation rate Not determined · Solubility in/Miscibility with Water Insoluble in water · Partition coefficient (n-octanol/water) Not determined · Viscosity **Dynamic** Not determined Kinematic Not determined

Page 5 of 9 Issued Date: October 21, 2020 Printed Date: October 21, 2020

Page 6 of 9 Issued Date: October 21, 2020 Printed Date: October 21, 2020

• 9.2 Other information

Not determined

SECTION 10: Stability and reactivity

· 10.1 Reactivity: No decomposition if used according to specification.

· 10.2 Chemical stability: Stable under recommended storage conditions.

· 10.3 Possibility of hazardous reactions: No known hazardous reaction.

· 10.4 Conditions to avoid: High temperature.

• 10.5 Incompatible materials: Peroxides, reducing agents and oxidizing agents.

· 10.6 Hazardous decomposition products: No known hazardous decomposition products.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

· LD50/LC50 values relevant for classification: No animal test has been done for this product or the components.

· Skin corrosion/irritation: Causes skin irritation.

· Serious eyes damage/ irritation: Causes serious eye irritation.

· Respiratory or skin sensitization: May cause an allergic skin reaction.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

· Reproductive toxicity: Suspected of damaging fertility (causing atrophy of the testes).

• STOT-single exposure: Based on available data, the classification criteria are not met.

· STOT-repeated exposure: Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects.

Short-term toxicity to fish	LC50 (4 days) 100 mg/L
Short-term toxicity to aquatic invertebrates	EC50 (48 h) 380 mg/L
The second secon	NOEC (48 h) 171 mg/L
Long-term toxicity to aquatic invertebrates	NOEC (21 days) 24.1 mg/L
I I E Common will	EC50 (21 days) 90.1 mg/L
The second second	LC50 (21 days) 100 mg/L
Toxicity to aquatic algae and cyanobacteria	EC50 (72 h) 345 - 836 mg/L
THE PH	NOEC (72 h) 160 - 400 mg/L

75980-60-8 Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Page 7 of 9 Issued Date: October 21, 2020 Printed Date: October 21, 2020

Short-term toxicity to fish	LC50 (48 h) 6.53 mg/L
Short-term toxicity to aquatic invertebrates	EC50 (48 h) 3.53 mg/L
Toxicity to aquatic algae and cyanobacteria	EC50 (72 h) 2.01 mg/L
Toxicity to microorganisms	EC50 (3 h) 1 g/L

· 12.2 Persistence and degradability: Readily biodegradable.

868-77-9	2-Hydroxyethyl methacrylate	Readily biodegradable in water
• 12.3 Bio-acc	umulative potential: Low bio-accumulation.	in the second second
868-77-9	2-Hydroxyethyl methacrylate	Log Pow=0.42 at 25 °C and pH 5.9 - 6.1
75980-60-8	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	<i>Log Pow= 3.1 - 3.87 at 23 °C and pH 6.4</i>

· 12.4 Mobility in soil: Low mobility in soil.

· 12.5 Results of PBT and vPvB assessment

PBT: Not applicable

vPvB: Not applicable

· 12.6 Other adverse effects: No known other adverse effects.

· 12.7 Additional ecological information

• General notes: Water hazard class 1 (German Regulation) (self-assessment): Low hazard to waters.

Do not allow large quantities of the product to reach ground water, water course or sewage system.

SECTION 13:Disposal consideration

• 13.1 Waste treatment methods

· Recommendation: Must not be disposed together with household garbage.

· 13.2 Un-cleaned packaging

• Recommendation: Dispose of contents/container in according to the local/regional/national/ international regulation.

• 14.1 UN-Number	W Chin, Party China - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
ADR, RID, ADN, IMDG, IATA	Not regulated as dangerous transport goods, not applicable
• 14.2 UN proper shipping name	The resilient the state of the
ADR, RID, ADN, IMDG, IATA	Void
• 14.3 Transport hazard class (es)	Tuill and the second se
ADR, RID, ADN, IMDG, IATA	I'lin. I the stand of the stand
Class	Void
Label	Void
• 14.4 Packing group	the state of the s
ADR, RID, ADN, IMDG, IATA	Void
• 14.5 Marine pollution	Yes
• 14.6 Special precautions for user	Void
· Danger code (Kemler)	Void
• EMS number	Void
• 14.7 UN "Model Regulation"	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- MAK (German Maximum Workplace Concentration): None of the ingredients is listed.
- · Directive 2012/18/EU
- · Named dangerous substances-ANNEX I: None of the ingredients is listed.
- · Seveso category: Not applicable
- · Qualifying quantity (tonnes) for the application of lower-tier requirements: Not applicable
- Qualifying quantity (tonnes) for the application of upper-tier requirements: Not applicable
- · National regulations.
- Water hazard class: Water hazard class 2 (German Regulation) (self-assessment): Hazard to waters.
- Other regulations, limitations and prohibitive regulations
- · SVHC Candidate list of REACH Regulation Annex XIV Authorization: None of the ingredients is listed.
- REACH Regulation Annex XVII Restriction: None of the ingredients is listed.
- REACH Regulation Annex XIV Authorization List: None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safe Assessment has not been carried out.

SECTION 16: Other information

Relevant phrases:

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H361F Suspected of damaging fertility

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road).

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

PBT: Persistent, Bio accumulative and Toxic

vPvB: very persistent or very bioaccumulative

SVHC: Substance of Very High Concern

LD50: Lethal dose, 50 percent

Page 9 of 9 Issued Date: October 21, 2020 Printed Date: October 21, 2020

LC50: Lethal concentration, 50 percent EC50: Concentration of maximal effect, 50 percent NOEC: No observed effect concentration Skin Irrit.2: Skin corrosion/irritation, hazard category 2 Skin Sens. 1A: Respiratory or skin sensitization, hazard category 1A Skin Sens. 1: Respiratory or skin sensitization, hazard category 1 Eye Irrit. 2: Eye damage/irritation, hazard category 2 Repr. 2: Reproductive toxicity, hazard category 2

End of safety data sheet